

DEPARTMENT OF THE NAVY

NAVAL SEA SYSTEMS COMMAND 1333 ISAAC HULL AVE SE WASHINGTON NAVY YARD DC 20376-0001

2319 NOREPLYTO Ser SEA07T/459 01 NOV 2002

SEA 07T STANDARD OPERATING PROCEDURE (SOP): NO. 14

From: Technical Director, NAVSEA 07T

Subj: SEA 07T NAVAL MESSAGE ROUTING

Ref:

- (a) NAVSEAINST 2319.1 (Processing of Naval Messages)
- (b) OPNAVINST 5513.15D (Department of the Navy (DON)
 Security Classification Guidance for Naval Special
 Warfare (NSW) Programs)

Encl: (1) Naval Message Input Form

- (2) Example of GENADMIN Naval Message
- (3) Reference Types and Examples
- (4) Declassification Descriptions
- (5) Most Commonly Used PLAs
- 1. <u>Purpose:</u> This SOP's intentions is to expedite the process of naval messages. Reference (a) outlines policy, responsibilities and procedures for the processing of naval messages. Reference (b) implements the new declassification marking requirements.
- 2. <u>Applicability:</u> This SOP is applicable to all outgoing naval messages originating within SEA 07T.
- 3. <u>Outgoing Messages:</u> To allow for efficient and timely routing of naval messages, the following guidance is provided:
- a. **Format:** All naval messages will be generated using TurboPrep.
- b. Routing Folder: Outgoing messages will be routed using a NAVSEA route sheet attached to the front cover of the folder with material arranged as follows:
- (1) **Left Side:** The left side contains any pertinent references, enclosure (1), marked-up copies of the naval message (if applicable) and a floppy disk with the message in TurboPrep format.

Subj: SEA 07T NAVAL MESSAGE ROUTING

(2) **Right Side:** The right side contains the naval message.

c. Routing Procedure:

- (1) The originator will submit the completed Naval Message Input Form (enclosure (1)) to the Business Service Center (BSC). Enclosure (1) must be submitted in hard copy.
 - (2) The BSC's responsibilities are as follows:
- (a) Generate the naval message within 0.5 working days.

NOTE: Naval messages that are considered urgent (need to be transmitted that day) MUST BE GENERATED WITHIN 1 HOUR.

Urgent naval messages submitted after 1500 hrs, should be delivered to the personnel in the Technical Information Center (TIC) to perform the duties of the BSC per this SOP.

(b) Deliver the routing folder arranged per 3.b of this SOP to the originator.

NOTE: The route sheet will be blank and will be filled out by the originator.

- (c) Make changes to the TurboPrep message when needed and then deliver back to the originator.
 - (3) The originator's responsibilities are as follows:
- (a) Upon receipt of the routing folder from the BSC, fill out the route sheet.
 - (b) Enclose the pertinent references.
- (c) Forward the routing folder to appropriate personnel for comments/concurrence.

NOTE: Every route sheet should indicate whether SEA 08, SEA 05, appropriate Program Offices and TYCOM Reps concurrence/chop is required.

(4) Every naval message will be routed through SEA 07TO. SEA 07TO will be the last individual to review the naval message prior to SEA 07T's review. Upon completion of the review, SEA

Example of GENADMIN Naval Message

```
RTTUZYUW RULSSEA0001 2191931-UUUU--RHMCSUU.
ZNR UUUUU
R 071201Z AUG 02 ZYB
FM COMNAVSEASYSCOM WASHINGTON DC//07T//
TO COMSUBLANT NORFOLK VA//N4//
COMSUBPAC PEARL HARBOR HI//N41//
INFO COMNAVSEASYSCOM WASHINGTON DC//PMS307//
BT
UNCLAS //N04720//
MSGID/GENADMIN/COMNAVSEASYSCOM//
SUBJ/(SUBS) SECONDARY PROPULSION SYSTEM GUIDANCE//
REF/A/MSG/USS PITTSBURGH/151600ZMAY2002//
REF/B/DOC/S9SSN-W4-SPM-010/24MAR2000//
REF/C/DOC/0960-LP-001-4010/03OCT2000//
REF/D/TEL/COMSUBLANT/15FEB2002//
REF/E/DOC/MIL-C-17361F/-//
NARR/REF A IS A MESSAGE ON SSBN JUNIOR OFFICER SHIP HANDLING
TRAINING LESSONS LEARNED. REF B AND C ARE SSN 688 CLASS STEAM
AND ELECTRIC PLANT MANUALS. REF D IS A TEL-CON BETWEEN NAVSEA
AND COMSUBLANT. REF E IS GENERAL SPECIFICATION FOR CIRCUIT
BREAKERS, AIR, ELECTRIC, INSULATED HOUSING (SHIPBOARD USE).//
POC/J. SMITH/CIV/SEA07TXXX/LOC: WNY BLDG. 201/TEL:202-781-
1234/TEL:326-1234 DSN/E-MAIL:SMITHJ@NAVSEA.NAVY.MIL//
RMKS/1. THE PURPOSE OF THIS MESSAGE IS TO PROVIDE GUIDANCE ON
THE OPERATION OF THE SECONDARY PROPULSION MOTOR (SPM) SYSTEM AND
TO IMPROVE THE RELIABILITY OF THE SPM.//
BT
#0001
```

NNNN

Reference Types and Examples

Reference Types:

CON - CONFERENCE/MEETING

DOC - DOCUMENT (TECH MANUALS, DRAWINGS, ETC.)

LTR - LETTER/MEMORANDUM

TEL - TELEPHONE

MSG - MESSAGE (NOT FORMATTED)

FAX - FACSIMILE

EML - ELECTRONIC MAIL

VTC - VIDEO TELECONFERENCE

Examples of References:

REF/A/MSG/COMNAVSEASYSCOM/311201ZJUN2001//
REF/B/DOC/S9SSN-W4-SSM-PA1/22JUN1999//
REF/C/DOC/NSTM 0901-LP-100-2107/29DEC2000//
REF/D/DOC/NNS LAR AS40-01024/29AUG2001//
REF/E/DOC/NAVSEA DWG 704-4685107/-/
REF/F/TEL/COMSUBLANT/07AUG2002//
REF/G/TEL/LT JOHNSON/24JUL2002//
REF/H/LTR/COMSUBPAC/19JUN2002/SER4722/-/175//
REF/I/LTR/PMS307A21 SER 307A21 - 0228/09APR1999//

FOR EACH REFERENCE YOU MUST ALSO PROVIDE THE SUBJECT, REVISIONS #, CHANGES # AND DESCRIPTIONS.

<u>Declassification Descriptions</u>

<u>DECLASSIFICATION</u> (must put the instruction number and which codes are correct for declassification.):

OPNAVINST 5513.15D

DEPARTMENT OF THE NAVY (DON) SECURITY CLASSIFICATION GUIDANCE FOR NAVAL SPECIAL WARFARE (NSW) PROGRAMS

Must select all that pertain to naval message.

- **X1** Intelligence source, method, or activity, or a cryptologic system or activity
- X2 Information that would assist in the development or use of weapons of mass destruction.
- X3 Information that would impair the development or use of technology within a United States weapons system.
- **X4** United States military plans, or national security emergency preparedness plans.
- **X5** Foreign government information
- X6 Information that would damage relations between the United States and a foreign government, reveal a confidential source, or serious undermine diplomatic activities that reasonably expected to on going.
- X7 Information that would impair the ability of responsible United States Government officials to protect the President, the Vice President, and other individuals for whom protection services, in the interest of national security, are authorized.
- **X8** Information that would violate a statute, treaty, or international agreement.

Most Commonly Used PLAs

TYPE COMMANDERS (TYCOMS):

COMSUBLANT NORFOLK VA

COMSUBPAC PEARL HARBOR HI

COMMANDER SUBMARINE SOUADRONS (COMSUBRON):

COMSUBRON ONE

COMSUBRON TWO

COMSUBRON THREE

COMSUBRON FOUR

COMSUBRON SIX

COMSUBRON SEVEN

COMSUBRON EIGHT

COMSUBRON ELEVEN

COMSUBRON FIFTEEN

COMSUBRON SIXTEEN

COMSUBRON SEVENTEEN

COMSUBRON TWO ZERO

COMSUBRON TWO TWO

SUBMARINE DEVELOPMENT SOUADRON (SUBDEVRON):

COMSUBDEVRON FIVE SAN DIEGO CA

COMSUBDEVRON TWELVE

SUBDEVRON FIVE

SUBDEVRON FIVE DET BANGOR WA

SUBDEVRON TWELVE

SUBMARINE GROUPS (SUBGRU):

COMSUBGRU TWO

COMSUBGRU SEVEN

COMSUBGRU EIGHT

COMSUBGRU NINE

COMSUBGRU TEN

PERFORMANCE MONITORING TEAM (PMT):

NSSC PEARL HARBOR HI//48/N41//

SUBRONSUPPU NEW LONDON CT//N44//

SUBRONSUPPU NORFOLK VA//N70/PMT//

COMSUBRON ELEVEN//N4//

COMSUBRON FIFTEEN//N4/PMT//

COMSUBRON SEVENTEEN//N44//

COMSUBRON TWO ZERO//N4/PMT//

CLASSIFICATION		ROUTING
() UNCLASS () CONFIDENTIAL () SECRET	Naval Message Input Form	() URGENT

PRECEDENCE: (Circle Or	ne) Routine (R) - 6hrs Op Immediate (O) -		
FROM: COMNAVSEASYSCOM TO: (ACTION)	WASHINGTON DC//07T//		
INFO: COMNAVSEASYSCOM (COPY TO)	WASHINGTON DC//07T//		
SSIC - (XXXXX) PASSING INSTRUCTIONS	(IF ANY):		
SUBJECT: (SUBS)			
REF A:		/	
(TYPE)	(ORIGINATOR)		(DATE)
REF B:		/	
(TYPE)	(ORIGINATOR)		(DATE)
REF C:		/	
(TYPE)	(ORIGINATOR)		(DATE)
REF D:		/	
(TYPE)	(ORIGINATOR)		(DATE)
AMPN/NARR - EXPLANATIO	ON OF REFERENCES:		

			(Military)/GRADE (Civ):	
DDE:	PHONE:		E-MAIL:	T-10-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
KS - BODY O	F MESSAGE:			
		·		
	<u> </u>			
	MARKET .			
· ···				

AME:				_ RANK	(Military)/GRADE (Civ):	
					E-MAIL:	
			MESSAGE:			
_			· · · · · · · · · · · · · · · · · · ·	- 11-2.0 20.01		
					The day	
						·
					- The Cold Mary II.	
	·				0F W9	1-42
	.,			· · · · · · · · · · · · · · · · · · ·		N1117 = 8
	· · · · · · · · · · · · · · · · · · ·					
	+ %					
		•				
		•			i to the translation to	
						

POC:			אזא א פ	(Military) (GDADE (Gi-)		
				(Military)/GRADE (Civ):		
LODE:		PHONE:		E-MAIL:	~	<u></u>
MKS -	BODY OF	MESSAGE:				
	 					
				47.40.		
			P.T. F. V. V. W.	***************************************	* P	
				71.0.4.1.11	****	
				175.5 4		
·						
		44-10-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		77 M M M A A		1-7-11

				- 10 - 11 - 1		
	- •					
	**					•
		orders and the second s				
			<u></u>			
				to subdive		
				<u> </u>		

		•
AME:	R <i>i</i>	ANK (Military)/GRADE (Civ):
ODE:	PHONE:	E-MAIL:
MKS - BODY OF M	IESSAGE:	
		A CONTRACTOR OF THE CONTRACTOR

٠٠		
		,
	 	
	A-7-1	

ODE:			PHONE:	 	E-MAI	L:		Plot	
MKS -	BODY	OF M	ESSAGE:						
			· · · · · · · · · · · · · · · · · · ·						
			·				*******		
				 					
						· · · · · · · · · · · · · · · · · · ·			
	-								······································
									·*···
						· · · · · · · · · · · · · · · · · · ·		 	
			 _						
					.				
								·	
	• •		,						
				 					
				,					
			. 477	 					

CLASSIFICATION			ROUTING
() UNCLASS () CONFIDENTIAL () SECRET			() URGENT
() SECRET	Naval Message Inpu	t Form	() NOT URGENT
PRECEDENCE: (Circle One)	Routine (R) - 6hrs Pric Op Immediate (O) - 30 mi	ority (P) - .n Flash (Z	3 hrs) Approx 10 mins
FROM: COMNAVSEASYSCOM WAS	HINGTON DC//07T//		
INFO: COMNAVSEASYSCOM WAS	HINGTON DC//07T//		
ssic			
(XXXXX)		•	
PASSING INSTRUCTIONS (IF	ANY):		
	***************************************		1.64.0
SUBJECT: (SUBS)	•		•
· · · · · · · · · · · · · · · · · · ·	Photo day (Mandre)		,
			V-2-2-1
REF A:		1	
////	(ORIGINATOR)	_/	(DATE)
REF B:			
/		_/	
(TYPE)	(ORIGINATOR)		(DATE)
REF C:			
//	(ORIGINATOR)	/	(DATE)
(1111)	(ORIGINATOR)		(DAIE)
REF D:		1	
(TYPE)	(ORIGINATOR)	/	(DATE)
AMPN/NARR - EXPLANATION O	e necepciace.		
AMPN/NARR - EXPLANATION O	r REFERENCES:		
			· · · · · · · · · · · · · · · · · · ·
			·

<u>CLASSIFICATION</u>		ROUTING
() UNCLASS () CONFIDENTIAL		() URGENT
() SECRET	Naval Message Inpu	ut Form () NOT URGENT
PRECEDENCE: (Circle (One) Routine (R) - 6hrs Pri Op Immediate (O) - 30 m	ority (P) - 3 hrs in Flash (Z) Approx 10 mins
FROM: COMNAVSEASYSCOM	M WASHINGTON DC//07T//	
INFO: COMNAVSEASYSCOM	M WASHINGTON DC//07T//	
SSIC - (XXXXX) PASSING INSTRUCTIONS	(IF ANY):	
SUBJECT: (SUBS)	J-14-1	
REF A:		
(TYPE)	(ORIGINATOR)	(DATE)
REF B:		/
(TYPE)	(ORIGINATOR)	(DATE)
REF C:		/
(TYPE)	(ORIGINATOR)	(DATE)

(ORIGINATOR)

REF D:

(TYPE)

AMPN/NARR - EXPLANATION OF REFERENCES:

(DATE)

<u>CLASSIFICATION</u>		ROUTING
) UNCLASS) CONFIDENTIAL		() URGENT
) SECRET	<u>Naval Message Input</u>	Form () NOT URGENT
PRECEDENCE: (Circle O	ne) Routine (R) - 6hrs Prior Op Immediate (O) - 30 min	ity (P) - 3 hrs Flash (Z) Approx 10 mins
FROM: COMNAVSEASYSCOM FO: (ACTION)	WASHINGTON DC//07T//	
INFO: COMNAVSEASYSCOM (COPY TO)	WASHINGTON DC//07T//	
SSIC - (XXXXX)		
PASSING INSTRUCTIONS	(IF ANY):	
SUBJECT: (SUBS)		
REF A:		/
(TYPE)	(ORIGINATOR)	(DATE)
REF B:		/
(TYPE)	(ORIGINATOR)	(DATE)
REF C:		/
REF C: /////	(ORIGINATOR)	/(DATE)
/	(ORIGINATOR)	(DATE)
(TYPE)	(ORIGINATOR) (ORIGINATOR)	/
(TYPE) REF D:///	(ORIGINATOR)	/
(TYPE) REF D: (TYPE)	(ORIGINATOR)	/

- 7 Jan

CLASSIFICATION		ROUTING
) UNCLASS) CONFIDENTIAL) SECRET	Naval Message Input Fo	() URGENT
PRECEDENCE: (Circle C	One) Routine (R) - 6hrs Priority Op Immediate (O) - 30 min F	
FROM: COMNAVSEASYSCOM TO: (ACTION)	4 WASHINGTON DC//07T//	
INFO: COMNAVSEASYSCOM (COPY TO)	M WASHINGTON DC//07T//	
SSIC - (XXXXX) PASSING INSTRUCTIONS	(IF ANY):	
SUBJECT: (SUBS)		
SUBJECT: (SUBS)	/	
	(ORIGINATOR)	(DATE)
REF A://	/	
REF A://	/	
REF A: (TYPE) REF B:	(ORIGINATOR)	(DATE)
REF A: / (TYPE)	(ORIGINATOR)	(DATE)
REF A: / / / / / / / / / / / / / / / / / /	(ORIGINATOR) / (ORIGINATOR)	(DATE) (DATE)